

According to Regulations (EC) No 453/2010, 2015/830, 1907/2006 (REACH) & 1272/2008
(CLP)

1 Identification of the Preparation and the Company

1.1

1.2

1

01822

1

01822

0900100

2 Hazard identification

2.1 Classification of the mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 CLP

Environment 2 H319

Acute Toxicity 1 H317

Aquatic Chronic 2 H411

2.1.2 Additional information

For full text of Hazard and Environment Hazard statements see section 16

2.2 Label elements

Labeling according to Regulation (EC) No 1272/2008 (CLP)

Hazard Pictograms



H 07 Ecotoxicity

H 09 Environment

Signal word

Warning

Hazard statements

H317- May cause an allergic skin reaction

H319- Causes serious eye irritation

H411- Toxic to aquatic life with long lasting effects

Precautionary statements – Prevention

P264- Wash your hands thoroughly after handling

P272- Contaminated work clothing should not be allowed out of the workplace

P273- Avoid release to the environment

P280- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements – Response

P302+P352- IF ON SKIN: Wash with soap and water

P305+P351+P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P321- Specific treatment (see supplemental first aid instructions on this label)

P333+P313- If skin irritation or a rash occurs: Get medical advice/attention

P337+P313- If eye irritation persists get medical advice/attention

P363- Wash contaminated clothing before reuse

P391- Collect spillage

Precautionary statements – Disposal

P501- Dispose of contents/ container according to national or regional regulatory requirements.

3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is a mixture.

3.2 Mixtures**Description of the mixture:**

The material is a mixture of aromatic raw materials. The material's composition, regarding the hazardous ingredients is shown in the following table.

Hazardous ingredients

According to Regulations: 1907/2006 EC, 1272/2008, 453/2010, the mixture contains:

Chemical Name	% per weight	REACH Registration No	Classification according to Regulation 1272/2008 (Regulation CLP)	CAS No	EINECS No	FEMA
Diethyl phthalate	30,01-55,01	01-2119486682-27	Skin Irrit. 3;H316 Aquatic Acute 3;H402	84-66-2	201-550-6	-
Hexyl cinnamaldehyde	5,5-7,5	Not available	Acute Tox. 5 (Oral);H303 Skin Irrit. 3;H316 Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 2;H411	101-86-0	202-983-3	2569
Ethyl methylphenylglycidate	2-3	01-2119967770-28	Skin Sens. 1;H317 Aquatic Acute 2;H401 Aquatic Chronic 2;H411	77-83-8	201-061-8	2444
4-tert-Butylcyclohexyl acetate	2-3	01-2119976286-24	Acute Tox. 5 (Oral);H303 Skin Sens. 1;H317 Aquatic Acute 2;H401	32210-23-4	250-954-9	-
gamma-Undecalactone	2-3	01-2119959333-34	Skin Irrit. 3;H316 Aquatic Acute 3;H402 Aquatic Chronic 3;H412	104-67-6	203-225-4	3091
Musk	1,5-2,5	01-2119488227-29	Skin Irrit. 3;H316 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	1222-05-5	214-946-9	-
Geraniol	1-2	01-2119552430-49	Acute Tox. 5 (Oral);H303 Skin Irrit. 2;H315 Eye Dam. 1;H318 Skin Sens. 1;H317 Aquatic Acute 3;H402	106-24-1	203-377-1	2507
Verdox (2-tert-Butylcyclohexyl acetate)	0,5-1,5	Not available	Flam. Liq. 4;H227 Acute Tox. 5 (Oral);H303 Skin Irrit. 3;H316 Aquatic Acute 2;H401 Aquatic Chronic 2;H411	88-41-5	201-828-7	-
alpha-Terpineol acetate	0,5-1,5	01-2119980733-29	Skin Irrit. 3;H316 Aquatic Acute 2;H401	80-26-2	201-265-7	3047
Ethyl 2,4-dimethyldioxolane-2-acetate	0,5-1,5	Not available	Flam. Liq. 4;H227	6290-17-1	228-536-2	-
Hexyl salicylate	0,5-1,5	01-2119638275-36	Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	6259-76-3	228-408-6	-
Amyl salicylate	0,5-1,5	Not available	Acute Tox. 4 (Oral);H302 Skin Irrit. 3;H316 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	2050-08-0	218-080-2	-
Linalyl acetate	0,5-1,5	01-2119454789-19	Flam. Liq. 4;H227 Skin Irrit. 2;H315 Eye Irrit. 2;H319 Skin Sens. 1;H317 Aquatic Acute 3;H402	115-95-7	204-116-4	2636
6-Acetyl-1,1,2,4,4,7-hexamethyltetraline (Tonalide)	0,8-1	Not available	Acute Tox. 4 (Oral);H302 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	1506-02-1	216-133-4	-
Ethyl heptanoate	0,8-1	01-2120104876-54	Flam. Liq. 4;H227	106-30-9	203-382-9	2437
Diphenyl ether	0,4-0,5	01-2119472545-33	Acute Tox. 5 (Oral);H303 Skin Irrit. 3;H316 Eye Irrit. 2;H319 Aquatic Acute 1;H400 Aquatic Chronic 3;H412	101-84-8	202-981-2	3667

Additional information

For full text of H-Statements included in the above table: see section 16.

4: First aid measures

4.1 Accidental ingestion

Rinse mouth with water. Give up to one tumbler (half pint) of milk or water. Obtain medical advice immediately.

4.2 Excessive inhalation

Remove the individual to fresh air and keep at rest. Obtain medical advice immediately.

4.3 Skin contact

Remove contaminated clothing. Wash skin with large volumes of water, (or soap and water). If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

4.4 Eye exposure

Irrigate copiously with water for at least 10 minutes. Obtain medical advice if any irritation or evidence of tissue damage persists.

5: Firefighting measures

5.1 Extinguishing media

CO₂, alcohol – resistant foam, dry powder. Never use directly water.

5.2 Special hazards arising from the substance or mixture

In case of fire, CO/CO₂ and smoke may be released.

5.3 Advice for firefighters

In case of insufficient ventilation, wear suitable respiratory equipment.

6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove ignition sources. No smoking. Provide sufficient ventilation, control of dust. Wear suitable personal protective equipment, referred to under Section 8, to prevent any contamination of skin and eyes. Avoid inhalation of vapor.

6.2 Environmental precautions

Recommended environmental precautions to be taken related to accidental spills and release of the substance or mixture, such as keeping away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Gross spillages should be contained by the use of sand or inert powder, and disposal of this should be in accordance with Government Regulations. Any absorbent used for cleaning up spillage should be disposed promptly, preferably by incineration, as some cases of spontaneous combustion of rags soaked with similar materials have been reported.

6.4 Reference to other sections

If appropriate Sections 8 and 13 shall be referred to.

7: Handling and storage

7.1 Precautions for safe handling

Avoid naked flames or other potential sources of ignition (eg. electrical equipment). Do not subject to unnecessarily high temperature during processing. Wear suitable personal protective equipment. Maintain adequate ventilation in working areas. Do not smoke, eat or drink when you use this product. Good personal washing routines should be followed.

7.2 Conditions for safe storage, including any incompatibilities

It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not re – use the empty container.

7.3 Specific end use(s)

Aromatic material: Use according to proper manufacturing practices and occupational hygiene.

8: Exposure controls/personal protection

8.1 Exposure controls

Do not subject to unnecessarily high temperature during processing. Maintain adequate ventilation in working areas.

8.2 Personal protection

a) Respiratory protection: where ventilation may be inadequate, wear self – contained breathing apparatus. b) Hand protection: where hand protection is indicated, safety gloves are recommended. c) Eye protection: where eye protection is indicated, safety goggles are recommended. d) Skin protection: depending on working situation these should include wearing protective clothing, which will also limit the odor contamination of personal clothing. Good personal washing routines should be followed.

9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Colourless to pale yellow, oily liquid
Odour	Characteristic
Flash point (°C)	70.0°C < FLASH POINT < 100.0°C
Solubility in water	Insoluble (10%)
Solubility in other solvents	Soluble (10%) in ethyl alcohol
Refractive Index (25°C)	1.490 - 1.500

10: Stability and reactivity

10.1 Reactivity

No known reactivity hazards. No reaction known with water.

10.2 Chemical stability

No hazardous reaction when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Not expected when handled and stored according to provisions.

10.4 Conditions to avoid

Avoid temperatures above or near to the flash point, sources of ignition, sparks and flames. Do not heat closed containers.

10.5 Incompatible materials

Avoid contact with strong acids, alkalis or oxidizing agents.

10.6 Hazardous decomposition products

Not expected when handled and stored according to provisions. Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

11: Toxicological information

This preparation has not been subjected to ecotoxicological testing as an entity but has been blended from materials with established toxicological bibliographies. In view of the difficulty of using current standard toxicological evaluation techniques to predict hazards to susceptible individuals or arising from unforeseeable use, this preparation should be considered and handled as if it displayed health hazards and treated in consequence with all possible precaution.

12: Ecological information


This preparation has not been subjected to ecotoxicological testing as an entity. In view of difficulty of using current standard ecotoxicological evaluation techniques to predict the impact of particular modes of release on vulnerable or localized parts of the ecosystem, this preparation should be considered and handled as if it displayed environmental hazards, and treated in consequence with all possible precaution.

13: Disposal considerations

Residual quantities of the product should be treated according to the instructions given under points 6, 7 and 8 above. Wastes should be eliminated according to national or regional regulatory requirements.

14: Transport information

14.1 Land transport ADR/RID



ADR/RID Class:	9
Danger code (Kemler):	90
UN number:	3082
Packaging group:	III
Hazard label:	9
Special marking:	Symbol (fish and tree)
UN proper shipping name:	3082 ENVIRONMENTALLY HAZARDOUS (Hexyl cinnamaldehyde, CAS:101-86-0)
Tunnel restriction code:	E

14.2 Maritime transport IMDG



IMDG Class:	9
UN number:	3082
Label:	9
Packaging group:	III
EMS number:	F-A, S-F
Marine pollutant:	Yes
Segregation groups:	--
Proper shipping name:	3082 ENVIRONMENTALLY HAZARDOUS (Hexyl cinnamaldehyde, CAS:101-86-0)

14.3 Air transport ICAO-TI and IATA-DGR



ICAO/IATA Class:	9
UN number:	3082
Label:	9
Packaging group:	III
Proper shipping name:	3082 ENVIRONMENTALLY HAZARDOUS (Hexyl cinnamaldehyde, CAS:101-86-0)

15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Directive 2006/8/EC amending, for the purposes of their adaptation to technical progress, Annexes II, III and V to Directive 1999/45/EC of the European Parliament and of the Council concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16: Other information

16.1 Indication of changes

The contents of the following section(s) alter and supersede those in the previous version: 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15 & 16. All parts updated in accordance to the Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006.

16.2 Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
CAS#	Chemical Abstracts Service number
CMR	Carcinogen, Mutagen, or Reproductive Toxicant
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC	European Community
ECHA	European Chemicals Agency
EC-Number	EINECS and ELINCS Number (see also EINECS and ELINCS)
EEC	European Economic Community
EINECS	European Inventory of Existing Commercial Substances
ELINCS	European List of notified Chemical Substances
EN	European Standard
EQS	Environmental Quality Standard
EU	European Union
GHS	Globally Harmonized System
IATA	International Air Transport Association
ICAO-TI	Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG	International Maritime Dangerous Goods
IMSBC	International Maritime Solid Bulk Cargoes
IUCLID	International Uniform Chemical Information Database
IUPAC	International Union for Pure Applied Chemistry
MSDS	Material Safety Data Sheet
OECD	Organization for Economic Co-operation and Development
OSHA	European Agency for Safety and Health at work
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
RIP	REACH Implementation Project
SDS	Safety data sheet
STOT	Specific Target Organ Toxicity
(STOT) RE	Repeated Exposure
(STOT) SE	Single Exposure
SVHC	Substances of Very High Concern
UN	United Nations

16.3 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008 Classification procedure

Eye Irrit. 2;H319	Calculation Method
Skin Sens. 1;H317	Calculation Method
Aquatic Chronic 2;H411	Calculation Method

16.4 Full text of H - Statements

H227 - Combustible liquid
 H302 - Harmful if swallowed
 H303 - May be harmful if swallowed
 H315 - Causes skin irritation
 H316 - Causes mild skin irritation
 H317 - May cause an allergic skin reaction
 H318 - Causes serious eye damage
 H319 - Causes serious eye irritation
 H400 - Very toxic to aquatic life
 H401 - Toxic to aquatic life
 H402 - Harmful to aquatic life
 H410 - Very toxic to aquatic life with long lasting effects
 H411 - Toxic to aquatic life with long lasting effects
 H412 - Harmful to aquatic life with long lasting effects

16.5 Emergency telephone numbers

Austria	+43 1 406 43 43
Belgium	+32 70 245 245
Bulgaria	+359 2 9154 233
Croatia	(+385 1) 2348342
Czech Republic	+420 224 919 293 / +420 224 915 402
Denmark	+45 82 12 12 12
Estonia	16662 (National), International (+372) 626 93 90
Finland	+358 9 471977
France	+ 33 (0)1 45 42 59 59
Germany	+31 13 4642 211
Greece	+31 13 4642 211
Hungary	(+36-80) 201-199
Iceland Ireland	+354 543 2222
Italy	+353 1 8092566 / +353 1 8379964
Latvia	+39 06 68593726
Lithuania	+371 67042473
Luxembourg	+370 5 236 20 52 or +370 687 53378
Malta	+352 8002 5500
Netherlands	+356 21224071
Norway	+31 30 2748888 (Only for the purpose of informing medical personnel in cases of acute intoxications).
Poland	+47 22 59 13 00
Portugal	+31 13 4642 211
	+808 250 143

Romania	+31 13 4642 211
Slovakia	+31 13 4642 211
Slovenia	+31 13 4642 211
Spain	+34 91 562 04 20 (only for the purpose of informing medical personnel in cases of acute intoxications).
Sweden	+46 112
United Kingdom	For medical professionals only +44 845 46 47 (England and Wales) + 44 8454 24 24 24 (Scotland)

16.6 Further Information

According to Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006, the information in this safety data sheet is based on the properties of the materials known to Escentscia Limited at the time the data sheet was issued. The safety data sheet is intended to provide information for a healthy and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. It is the user's responsibility to determine conditions of safe use of the product, according to the information provided in this safety data sheet.

This document is not intended for quality assurance purposes.