

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name:** JUST PEACHY - STYLE RANGE

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Life cycle stages** IS Use at industrial Sites

**Sector of Use** SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

**Product category** PC28 Perfumes, fragrances

**Technical function** Fragrance

### Application of the substance / the mixture

Air fresheners

Alcohol cleaner

Floor polish/ Polishing wax

Toilet soap

Glass Cleaner

Basic cleaner

Hand cleaning agent

Hand detergent

Hand cleaning paste

Industrial cleaner

Cosmetic Active Agent

Neutral cleaner

Soap cleaner

Wax emulsion

Detergents

Toilet-cleaner

**Uses advised against** Not for personal use in this form or concentration

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Escentscia Limited

6 Pioneer Park, Clough Road, Hull. HU6 7HW UK.

msds@escentscia.uk

www.escentscia.uk

+44 (0)1482 332766

**Further information obtainable from:** Technical Department

### 1.4 Emergency telephone number:

National Poisons Information Service

+44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

#### Hazard pictograms



GHS07

Signal word Warning

#### Hazard-determining components of labelling:

Linalool

Coumarin

4-tert-butylcyclohexyl acetate

(Z)-beta-1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-2-buten-1-one

#### Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

## Dangerous components:

CAS: 120-51-4	Benzyl benzoate	>10–<25%
EINECS: 204-402-9	⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302	
CAS: 104-67-6	gamma-Undecalactone	>10–<25%
EINECS: 203-225-4	Aquatic Chronic 3, H412	
CAS: 78-70-6	Linalool	>2.5–≤10%
EINECS: 201-134-4	⚠ Skin Sens. 1B, H317	
CAS: 142-92-7	hexyl acetate	≤2.5%
EINECS: 205-572-7	⚠ Flam. Liq. 3, H226	
CAS: 91-64-5	Coumarin	≥1–<2.5%
EINECS: 202-086-7	⚠ Acute Tox. 4, H302; ⚠ Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CAS: 121-33-5	vanillin	≤2.5%
EINECS: 204-465-2	⚠ Eye Irrit. 2, H319	
CAS: 628-63-7	pentyl acetate	≤2.5%
EINECS: 211-047-3	⚠ Flam. Liq. 3, H226	
CAS: 32210-23-4	4-tert-butylcyclohexyl acetate	≥1–≤2.5%
EINECS: 250-954-9	⚠ Skin Sens. 1, H317	
CAS: 23726-92-3	(Z)-beta-1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-2-buten-1-one	≥0.1–<0.25%
EINECS: 245-843-7	⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; ⚠ Skin Sens. 1, H317	

## Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes (BENZYL BENZOATE, linalool, coumarin)

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact:** Rinse opened eye for several minutes under running water.

#### After swallowing:

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

# Safety data sheet

## according to 1907/2006/EC, Article 31

Version number 1

Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

### 5.3 Advice for firefighters

**Protective equipment:** No special measures required.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** Store receptacle in a well ventilated area.

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Additional information about design of technical facilities:** No further data; see item 7.

**Ingredients with limit values that require monitoring at the workplace:**

**CAS: 628-63-7 pentyl acetate**

WEL Short-term value: 541 mg/m<sup>3</sup>, 100 ppm

Long-term value: 270 mg/m<sup>3</sup>, 50 ppm

**Additional information:** The lists valid during the making were used as basis.

# Safety data sheet

## according to 1907/2006/EC, Article 31

Version number 1

**8.2 Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Goggles recommended during refilling**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Oily
<b>Colour:</b>	colourless to pale yellow
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.
<b>pH-value:</b>	Mixture is non-soluble (in water).

**Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	292 °C (CAS: 6938-94-9 DI ISO PROPYL ADIPATE)
<b>Flash point:</b>	> 70 °C
<b>Flammability (solid, gas):</b>	Not applicable.
<b>Decomposition temperature:</b>	Not determined.
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.

## Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

<b>Upper:</b>	Not determined.
<b>Vapour pressure at 156 °C:</b>	6 hPa (CAS: 120-51-4 Benzyl benzoate)
<b>Density:</b>	Not determined.
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with water:</b>	Insoluble (10%)
<b>alcohols:</b>	Partly miscible.
<b>Partition coefficient: n-octanol/water:</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Solvent content:</b>	
<b>Organic solvents:</b>	1.0 %
<b>VOC (EC)</b>	1.00 %
<b>Solids content:</b>	21.5 %
<b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

#### 10.2 Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

##### ATE (Acute Toxicity Estimates)

Oral LD50 7,424 mg/kg

##### CAS: 120-51-4 Benzyl benzoate

Oral LD50 1,700 mg/kg

Dermal LD50 4,000 mg/kg

##### CAS: 78-70-6 Linalool

Oral LD50 2,790 mg/kg

Dermal LD50 5,610 mg/kg

##### CAS: 142-92-7 hexyl acetate

Oral LD50 42,000 mg/kg

## Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

Dermal LD50 >5,000 mg/kg

**CAS: 91-64-5 Coumarin**

Oral LD50 293 mg/kg

**CAS: 121-33-5 vanillin**

Oral LD50 1,580 mg/kg

**CAS: 628-63-7 pentyl acetate**

Oral LD50 6,500 mg/kg

**CAS: 32210-23-4 4-tert-butylcyclohexyl acetate**

Oral LD50 5,000 mg/kg

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**Additional toxicological information:**

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:** Harmful to fish

**Additional ecological information:**

**General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

## Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

### 14.1 UN-Number

ADR, IMDG, IATA not regulated

### 14.2 UN proper shipping name

ADR, IMDG, IATA not regulated

### 14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class not regulated

### 14.4 Packing group

ADR, IMDG, IATA not regulated

### 14.5 Environmental hazards:

Not applicable.

### 14.6 Special precautions for user

Not applicable.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

### UN "Model Regulation":

not regulated

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

### Hazard pictograms



GHS07

**Signal word** Warning

### Hazard-determining components of labelling:

Linalool

Coumarin

4-tert-butylcyclohexyl acetate

(Z)-beta-1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-2-buten-1-one

### Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).



# Safety data sheet

## according to 1907/2006/EC, Article 31

Version number 1

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

**Department issuing SDS:** Technical department

#### Contact:

Technical Department  
msds@escentscia.uk

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3